

## WASHINGTON TOWNSHIP COUNCIL MEETING – JULY 16, 2019

**CALL TO ORDER** Mayor Campbell called the Washington Township Council Meeting to order on July 16, 2019 at 4:00 P.M. at the Washington Township Administration Building at 11800 Edinboro Road, Edinboro, PA. Those present were Vice-Mayor Patterson, Councilmen Pernisek and Feikles. Also present were Manager Anthony and Community Development Specialist Deborah Anthony. Councilman Glass and Zoning Administrator Norman Willow was absent. Visitors were Kathy Pernisek, Lydia Laythe, John Hromyak and Alex Topor.

**AGENDA** It was voted on motion by Patterson, second by Pernisek, to approve the agenda as presented.  
**APPROVAL** Motion carried unanimously.

**COUNCIL MINUTES** It was voted on motion by Patterson, second by Pernisek, to approve the Minutes of the July 2, 2019 Council meeting. Motion carried unanimously.

**TREASURER'S REPORT** The following checks presented for approval: General Fund #18490-18495 and manual check #19487, Sewer Fund #7821, and payroll #16496-16504 and (Sewer) 10168. It was voted on motion by Feikles, second by Patterson, to approve all the checks as presented. Motion carried unanimously.

**SECRETARY'S REPORT** Manager Anthony gave the following verbal report: The rear pinion gear on the backhoe needed replaced. This was an expensive repair that the Road Crew was able to do in-house savings thousands. The tar and chip project is almost completed with Suit-Kote working around rain. The Consortium will start the water sample collections at Green Point and Peninsula Park starting this week. The \$150,000.00 slip line project is completed. The Manhole relining should last 10 years under warranty. We did a total of 4 manholes costing \$9,200.00. A sewer line camera bid on Municibid did not reach the reserve bid set by Milton Sewer Authority. The Sewer and Water Authority voted to allow the bid to increase to a maximum of \$25,000.00 and has been in contact with the Milton Authority to try to purchase it after bidding ended. This is a much-needed piece of equipment would be valuable to Washington Township. It was voted on motion by Feikles, second by Patterson, to approve up to an additional \$5,000.00 from the Sewer Fund to offer for the camera. Motion carried unanimously. A culvert pipe located off Water Street needs replacing; we are working with the Borough of Edinboro to replace said pipe and share costs of materials. This project will be at a cost of \$8,000.00 to \$9,000.00.

**CORRESPONDENCE** None.

**ZONING OFFICER'S REPORT** No report.

**COMMITTEE REPORTS.**

**SEWER & WATER AUTH.** No meeting.

**EDINBORO LIASISON** Councilman Feikles gave a verbal report of the last meeting.

**FIRE DEPT.** No report.

**WATERSHED ASSOC.** Mayor Campbell updated Council on the Edinboro Lake Algae bloom.

**OLD BUSINESS** None.

**NEW BUSINESS** None.

**VISITORS** John Hromyak of Skyview drive addressed Council concerning the street light assessment. Council will consider revisiting the assessment at the future meeting.

**ADJOURNMENT** It was voted on motion by Patterson, seconded by Pernisek, to adjourn at 4:30 P.M. Motion carried unanimously.

